



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,283	09/12/2003	Scott C. Blanchet	B429-073	7622

26278 7590 12/13/2005

COWAN LIEBOWITZ & LATMAN, P.C  
JOHN J TORRENTE  
1133 AVENUE OF THE AMERICAS  
NEW YORK, NY 10036

EXAMINER

HODGE, ROBERT W

ART UNIT PAPER NUMBER

1746

DATE MAILED: 12/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/661,283	<b>Applicant(s)</b> BLANCHET ET AL.	
	<b>Examiner</b> Robert Hodge	<b>Art Unit</b> 1746	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 25 October 2005.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1,3,6-37 and 40-60 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3,6-37 and 40-60 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

## **DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments filed 10/25/05 have been fully considered but they are not persuasive. Applicant's primary argument is that the prior art made of record, and more specifically the Namikawa et al. reference does not teach a disk-shaped dielectric member. However applicant's have in fact admitted on the record that the Namikawa et al. reference does teach a disk-shaped dielectric member, see page 15, line 3 of applicant's remarks/arguments. An insulating washer is in fact a disk-shaped dielectric member. Therefore all previous rejections will be maintained.

### ***Claim Rejections - 35 USC § 102***

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1, 3, 6-18, 20 and 22-36 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 6,070,911 hereinafter Namikawa.

4. Namikawa teaches a connection assembly for connecting two pipes that are at different electrical potentials by using dielectric materials sandwiched in between two plates or flanges that are weldable, using bolts and or substantially v-shaped clamps to hold the two members together, using a dielectric member that has a smaller opening than that of the two pipes, and that dielectric tubes are used around the bolts, and that

Art Unit: 1746

said bolts also have nuts and washers used in the assembly that also comprise metal, dielectric washers (i.e. a disk-shaped dielectric member) and non-dielectric washers. Namikawa also teaches that any and all of the parts used in the assembly may be coated with a dielectric material that is of a mica material and/or a ceramic coating (abstract, figures 1-5, column 1 lines 6-54 and column 2 line 11 – column 4, line 59).

***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Namikawa in view of U.S. Patent No. 5,967,566 hereinafter Schlicht.

7. Namikawa teaches everything in the above 102 rejection.

8. Namikawa does not teach the use of an ASME slip-on flange.

9. Schlicht teaches a lightweight slip on pipe flange that is a conventional ASME flange (column 1, lines 52-63 and column 3, lines 51-64).

10. At the time of the invention it would have been obvious to a person of ordinary skill in the art to include a conventional ASME flange in the Namikawa reference as taught by Schlicht in order to use a well known and recognized slip-on flange that is easily attainable and would allow for easy assembly of the connector.

Art Unit: 1746

11. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Namikawa in view of U.S. Pre-grant publication No. 2004/0137259 hereinafter Pabla.
12. Namikawa teaches everything in the above 102 rejection.
13. Namikawa does not teach the use of NiCrAlY and  $Al_2O_3$  as the dielectric materials to be used in the coatings.
14. Pabla teaches that NiCrAlY and  $Al_2O_3$  are well known for their dielectric properties and are especially desirable in dielectric coatings (paragraphs [0008], [0014], [0022], [0033], and tables III and IV).
15. At the time of the invention it would have been obvious to a person of ordinary skill in the art to use NiCrAlY and  $Al_2O_3$  as the dielectric materials in the Namikawa reference as taught by Pabla in order to use well known dielectric materials that would provide an electrically insulative coating that would be durable and easily attainable for manufacturing purposes.
16. Claims 37, 40-51, 53, 55-56 and 58-60 are rejected under 35 U.S.C. 103(a) as being unpatentable over Namikawa in view of Energy Partners.
17. Namikawa teaches everything in the above 102 rejection.
18. Namikawa does not teach the use of the connection assembly with a fuel cell stack.
19. As discussed in the previous office action Energy Partners released an article on June 11, 1999 disclosing a 20 kW fuel cell stack is called the NG2000. Further research reveals a picture of the NG2000 that has connectors mounted to it that use an industry standard butt weld sanitary ferrule connectors that are commercially available.

Art Unit: 1746

As can be seen in the picture it is clearly a fuel cell stack assembly having more than one sanitary ferrule connector.

20. At the time of the invention it would have been obvious to a person of ordinary skill in the art that the connection assembly taught by Namikawa could also be use in the Energy Partners fuel cell stack in order to electrically isolate the stack from the fuel source especially at high operating pressures in order to reduce the risk of a potential explosion due to the extreme combustibility of gases used in fuel cell stacks.

21. Claim 52 is rejected under 35 U.S.C. 103(a) as being unpatentable over Namikawa in view of Energy Partners and further in view of Schlicht.

22. Namikawa and Energy Partner teach everything in the above 102 and 103 rejections.

23. Namikawa and Energy Partner do not teach the use of an ASME slip-on flange.

24. Schlicht teaches a lightweight slip on pipe flange that is a conventional ASME flange (column 1, lines 52-63 and column 3, lines 51-64).

25. At the time of the invention it would have been obvious to a person of ordinary skill in the art to include a conventional ASME flange in the Namikawa reference as taught by Schlicht in order to use a well known and recognized slip-on flange that is easily attainable and would allow for easy assembly of the connector:

26. Claim 54 is rejected under 35 U.S.C. 103(a) as being unpatentable over Namikawa in view of Energy Partners and further in view of Pabla.

27. Namikawa and Energy Partner teach everything in the above 102 and 103 rejections.

Art Unit: 1746

28. Namikawa and Energy Partner do not teach the use of NiCrAlY and Al<sub>2</sub>O<sub>3</sub> as the dielectric materials to be used in the coatings.

29. Pabla teaches that NiCrAlY and Al<sub>2</sub>O<sub>3</sub> are well known for their dielectric properties and are especially desirable in dielectric coatings (paragraphs [0008], [0014], [0022], [0033], and tables III and IV).

30. At the time of the invention it would have been obvious to a person of ordinary skill in the art to use NiCrAlY and Al<sub>2</sub>O<sub>3</sub> as the dielectric materials in the Namikawa reference as taught by Pabla in order to use well known dielectric materials that would provide an electrically insulative coating that would be durable and easily attainable for manufacturing purposes.

31. Claim 57 is rejected under 35 U.S.C. 103(a) as being unpatentable over Namikawa in view of Energy Partners and further in view of Guthrie et al. U.S. Patent No. 4,786,086 hereinafter referred to as Guthrie et al.

32. Namikawa and Energy Partner teach everything in the above 102 and 103 rejections.

33. Namikawa and Energy Partner do not disclose that the fuel cell stack assembly be enclosed in a vessel with a pipe extending through said vessel.

34. Guthrie et al. teaches that a fuel cell stack operated at high pressures must be contained in a pressure vessel (column 1, lines 20-22) and that pipes will penetrate the stack pressure vessel (column 3, lines 25-26).

35. At the time of the invention it would have been obvious to a person of ordinary skill in the art to enclose a high-pressure fuel cell stack within a pressure vessel. The

Art Unit: 1746

motivation for doing so would have been first to maintain the fuel cell stack at the desired pressure for operation without the loss of gases from leaks between the cells due to the pressure differential between the stack and the atmosphere. As well as to contain the fuel cell stack for safety purposes if a component were to explode due to the high operating pressure.

### ***Conclusion***

36. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert Hodge whose telephone number is (571) 272-2097. The examiner can normally be reached on 8:00am - 4:30pm.

Art Unit: 1746

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr can be reached on (571) 272-1414. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RWH 12-5-05

MICHAEL BARR  
SUPERVISORY PATENT EXAMINER

A handwritten signature in black ink, appearing to read 'Michael Barr', with a long horizontal flourish extending to the right.